

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Identification of the substance/preparation: Designflooring Remove
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Not required.
- Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Basic cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Company/undertaking identification:

Designflooring International Ltd

Vale Park

Crab Apple Way

Evesham WR 11 1GP

United Kingdom

Tel: +44 1386 820200

· Further information obtainable from:

Karndean Designflooring

Tel. +44 (0)1386 820100

info@karndean.co.uk

· 1.4 Emergency telephone number:

Paul Staite, Karndean International Ltd, Bramley Drive, Vale Park, Evesham WR11 1JH

Tel. +44 (0)1386 820180 (Mon - Fri 8.30 - 17.30)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
	non-ionic surfactants	1-5%
	♦ Eye Irrit. 2, H319	
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol  Flam. Liq. 2, H225	1-5%
	3-butoxypropan-2-ol Flam. Liq. 3, H226;  Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

Identification of the substance/preparation: Designflooring Remove

	(Contd.	of page 1)
CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%
EINECS: 239-854-6	(1) Eye Irrit. 2, H319	1
Reg.nr.: 01-2119489411-37		
CAS: 100-51-6	benzyl alcohol	1-5%
EINECS: 202-859-9	① Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332;	-
Index number: 603-057-00-5	Eye Irrit. 2, H319	
Reg.nr.: 01-2119492630-38		
· Regulation (EC) No 648/200	04 on detergents / Labelling for contents	
phosphates, non-ionic surfac	tants	<5%
perfumes (LIMONENE, CITF	AL)	
· Additional information: For	the wording of the listed hazard phrases refer to section 16.	

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

No special measures required.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: After each cleaning use treatment creams, for very dry skin greasy ointments.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture Danger of forming toxic pyrolysis products.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

Identification of the substance/preparation: Designflooring Remove

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

\_\_\_\_\_

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Follow instructions on the label and in the Technical Product Information Sheet.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

No special measures required.

Information about fire - and explosion protection:

No special precautions are necessary if used correctly.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store under lock and key and out of the reach of children.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Exposure limit values:

### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

- · DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Occupational exposure controls:
- General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

- · Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 1 Revision: 14.11.2017 Printing date 14.11.2017

Identification of the substance/preparation: Designflooring Remove

· Eye protection:

Where there is a danger of the eyes coming into contact with splashes of liquid (i.e. when refilling larger quantities), safety goggles according to EN 166 (i.e. goggles with side shields) are recommended.

· Body protection:

Not required.

Light weight protective clothing

Limitation and supervision of exposure into the environment

Follow instructions for use, dosage and waste disposal.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information of	on basic	physical	l and c	hemical	properties

· General Information

· Appearance:

Form: Fluid Colour: Colourless · Odour: Alcohol-like · Odour threshold: Not determined.

· pH-value at 20°C: 10

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100°C

73°C (Seta Flash Closed Cup) · Flash point:

· Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

· Explosive properties: Product does not present an explosion hazard.

Product is not selfigniting.

· Explosion limits:

Auto-ignition temperature:

Lower: Not determined. Upper: Not determined.

· Vapour pressure at 20°C: 23hPa

· Density at 20°C: 1.043g/cm<sup>3</sup> Not determined. · Relative density · Vapour density Not determined. Not determined. Evaporation rate

· Solubility in / Miscibility with

Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic at 20°C: 20s (ISO 3 mm)

· 9.2 Other information No further relevant information available.

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity see section "Possibility of hazardous reactions".
- · 10.2 Chemical stability No information available.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

Identification of the substance/preparation: Designflooring Remove

(Contd. of page 4)

- · Conditions to avoid: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Reacts with strong acids and oxidising agents.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
5131-66-8	5131-66-8 3-butoxypropan-2-ol		
Oral	LD50	2,100-5,500 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
15763-76-	5 sodium	p-cumenesulphonate	
Oral	LD50	>2,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50/4h	>5 mg/l (rat)	
100-51-6 k	enzyl ald	cohol	
Oral	LD50	1,230-1,620 mg/kg (rat)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4h	>4,178 mg/l (rat) (OECD 403)	

- · Primary irritant effect:
- · Skin corrosion/irritation No data available.
- · Serious eye damage/irritation No data available.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:		
5131-66-8 3-buto	5131-66-8 3-butoxypropan-2-ol	
EC50/48h	>1,000 mg/l (Daphnia magna)	
15763-76-5 sodium p-cumenesulphonate		
EC50/48h (static)	>100 mg/l (Daphnia magna)	
LC50/96h (static)	>100 mg/l (Oncorhynchus mykiss (Rainbow trout))	
EC50/96h (static)	>100 mg/l (green alga)	
100-51-6 benzyl alcohol		
EC50/48h	230 mg/l (Daphnia magna) (OECD 202)	

12.2 Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

• 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

Identification of the substance/preparation: Designflooring Remove

(Contd. of page 5)

- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow to reach ground water/water course. Do not allow undiluted product or large quantities of it to reach sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB



according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.11.2017 Version number 1 Revision: 14.11.2017

Identification of the substance/preparation: Designflooring Remove

(Contd. of page 6)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

### · Department issuing SDS: Department for product development

· Contact: Dr. Reindl

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2